

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the above-identified application.

Listing of Claims

1. **(Currently amended)** A computer-implemented method comprising:
optimizing a multivariate representation of resources using multiple single-variable optimizations, wherein the resources are used in producing a set of products, and the resources, the set of products and their respective connectivities are represented in a product space plan, the optimizing comprising converting a non-linear expected value function associated with the resources and products into a closed form expression;
transforming the product space plan into a working transformed space plan,
~~wherein~~ wherein:
the products are transformed into working ~~elements~~; elements,
the transforming includes taking a transformation of the product space plan to provide the working transformed space plan, and
the transforming maps a distribution induced on the resources by a product demand distribution into a distribution with a diagonal covariance matrix;
performing a loading step to form elemental blocks as a function of a single variable of the multivariate representation with elements being loaded with resources that gate production of the element;
examining the elemental blocks to determine if a first element has not been loaded with a corresponding first resource that gates production of the first element;

if the examining indicates that the first element has not been loaded with the first resource, performing a re-loading step to form elemental blocks as a function of a single variable of the multivariate representation with the first element being reloaded with the first resource;
solving for the maximum of each elemental block over each associated single variable of the multivariate representation, wherein the solving is performed by a computer; and
determining and presenting the optimum level of resources as a function of the solved for maximums.

2. (Original) The method of Claim 1, wherein the loading and re-loading steps result in an equilibrium configuration that provides the minimum amount of resources to produce any given amount of products across the whole plan.
3. (Original) The method of Claim 1, wherein the loading step further includes:
sequentially looking at each present working element;
determining if each associated resource gates production of the element,
if gating occurs, then unloading the resource from a prior element if so loaded, and
loading the resource onto the present element.
4. (Original) The method of Claim 3, wherein the reloading step further includes:
sequentially looking at each present working element;
reloading each unloaded resource back onto the element;
redetermining if the element is gated by each reloaded resource;
if the element is so gated, then merging the elements sharing each gating resource into a
common elemental block which is a function of a single variable.
5. (Original) The method of Claim 3, wherein step of determining that gating occurs includes calculating a new maximum for the loaded element and determining if any remaining components further gate the maximum.

6. (Original) The method of Claim 4, wherein step of redetermining that gating occurs includes recalculating a new maximum for the reloaded element and determining if any remaining components further gate the maximum.
7. (Original) The method of Claim 4, wherein the step of merging the elements results in an elemental block that is a sub-plan of the overall plan, but which is a function of a single variable.
8. (Original) The method of Claim 7, wherein the merged elements intersect at a common resource in the transformed space.
9. (Previously presented) The method of Claim 1, wherein the non-linear expected value function represents a statistical expectation of the value function at a given resource allocation and for a given demand distribution.
10. (Original) The method of Claim 1, wherein the transforming step involves taking a transformation of the product space to provide the working transformed space wherein the distribution induced on the resources is transformed into a distribution with zero mean and unit variance.
11. **(Currently amended)** The method of Claim 10, A computer-implemented method comprising:
optimizing a multivariate representation of resources using multiple single-variable optimizations, wherein the resources are used in producing a set of products, and the resources, the set of products and their respective connectivities are represented in a product space plan, the optimizing comprising
converting a non-linear expected value function associated with the resources and products into a closed form expression;
transforming the product space plan into a working transformed space plan,
wherein:
the products are transformed into working elements,
the transforming step involves taking a transformation of the product space to provide the working transformed space,

the distribution induced on the resources is transformed into a distribution
with zero mean and unit variance, and
wherein the transformation includes an inverse Cholesky transformation of
the product space to provide the working transformed space;
performing a loading step to form elemental blocks as a function of a single
variable of the multivariate representation with elements being loaded
with resources that gate production of the element;
examining the elemental blocks to determine if a first element has not been loaded
with a corresponding first resource that gates production of the first
element;
if the examining indicates that the first element has not been loaded with the first
resource, performing a re-loading step to form elemental blocks as a
function of a single variable of the multivariate representation with the
first element being reloaded with the first resource;
solving for the maximum of each elemental block over each associated single
variable of the multivariate representation, wherein the solving is
performed by a computer; and
determining and presenting the optimum level of resources as a function of the
solved for maximums.

12. **(Currently amended)** A computer-implemented method comprising:
- optimizing a multivariate non-linear expected value function using multiple single-variable optimizations, wherein the multivariate non-linear expected value function represents a statistical expectation of the non-linear expected value function at a given component allocation and for a given demand distribution, the optimizing comprising
 - forming a plan in the product space associated with the non-linear expected value function which represents the products, components, and connectivities therebetween;
 - transforming the product space plan to form a corresponding working space plan, with products corresponding to elements such that the distribution induced on the resources is transformed into a distribution with zero mean and ~~unit~~ variance a diagonal covariance matrix;
 - converting the associated non-linear expected value function into a closed form expression;
 - performing a loading step which loads each element with components that gate the production of each element, wherein the loading step forms elemental blocks as a function of a single variable of the multivariate non-linear expected value function;
 - examining the elemental blocks to determine if a first element has not been loaded with a corresponding first component that gates the production of the first element;
 - if the examining indicates that first element has not been loaded with the first component, unloading the first component and performing a reloading step that reloads the first element with the first component, wherein the reloading step forms elemental blocks as a function of a single variable of the multivariate non-linear expected value function;
 - merging elements that are further gated by components that were unloaded, with the loading, reloading, and merging steps resulting in an equilibrium configuration;

solving the equilibrium configuration to determine the optimization of the non-linear expected value function, wherein the solving is performed by a computer; and
presenting the optimization of the non-linear expected value function.

13. (Original) The method of Claim 12, wherein the demand distribution includes any multivariate demand distribution that is a member of the elliptical family of distributions.

14. (Original) The method of Claim 13, wherein the multivariate demand distribution includes a multivariate normal distribution.

15. **(Currently amended)** ~~The method of Claim 12,~~ A computer-implemented method comprising:

optimizing a multivariate non-linear expected value function using multiple single-variable optimizations, wherein the multivariate non-linear expected value function represents a statistical expectation of the non-linear expected value function at a given component allocation and for a given demand distribution, the optimizing comprising
forming a plan in the product space associated with the non-linear expected value function which represents the products, components, and connectivities therebetween;
transforming the product space plan to form a corresponding working space plan, with products corresponding to elements such that the distribution induced on the resources is transformed into a distribution with zero mean and unit variance, wherein the transforming [[step]] includes using an inverse Cholesky transform;
converting the associated non-linear expected value function into a closed form expression;
performing a loading step which loads each element with components that gate the production of each element, wherein the loading step forms elemental blocks as a function of a single variable of the multivariate non-linear expected value function;

examining the elemental blocks to determine if a first element has not been loaded with a corresponding first component that gates the production of the first element;

if the examining indicates that first element has not been loaded with the first component, unloading the first component and performing a reloading step that reloads the first element with the first component, wherein the reloading step forms elemental blocks as a function of a single variable of the multivariate non-linear expected value function;

merging elements that are further gated by components that were unloaded, with the loading, reloading, and merging steps resulting in an equilibrium configuration;

solving the equilibrium configuration to determine the optimization of the non-linear expected value function, wherein the solving is performed by a computer; and

presenting the optimization of the non-linear expected value function.

16. (Original) The method of Claim 12, wherein the loading step includes:
sequentially analyzing each element in the plan;
determining if each associated component gates production of the element,
if gating occurs, then unloading the component from a prior element if so loaded, and
loading the component onto the present element.
17. (Original) The method of Claim 16, wherein the reloading step further includes:
sequentially analyzing each element in the plan;
reloading each unloaded component back onto the element;
redetermining if the element is gated by each reloaded component.
18. (Original) The method of Claim 12, wherein the equilibrium configuration includes
configuring of the plan into elemental blocks which are a function of a single variable.
19. (Original) The method of Claim 18, wherein each elemental block is maximized over
this single variable.

20. (Original) The method of Claim 19, wherein the optimum level of components to support the maximizations are derived from the maximized elemental values.

21. **(Currently amended)** A computer-implemented method comprising:
optimizing a multivariate representation of an amount of refinements produced from a level of resources, the optimizing using multiple single-variable optimizations and comprising
configuring the refinements and resources in a representative refinement space plan that accounts for connectivities therebetween;
deriving a non-linear expected value function for the refinement space plan;
converting the non-linear expected value function to a closed form expression;
transforming the refinement space plan into a working space plan, [[with]]
wherein:
the refinements are represented by transformed elements;
the transforming includes taking a transformation of the refinement space plan to provide the working space plan, and
the transforming maps a distribution induced on the resources by a refinement demand distribution into a distribution with a diagonal covariance matrix;
sequentially loading each element with resources that gate the production of each element, wherein the each element is described by a single variable of the closed form expression;
sequentially examining each element to determine if an element has not been loaded with a corresponding resource that gates the production of the element;
if the examining of a first element indicates that the first element has not been loaded with a corresponding first resource that gates the production of the first element, unloading the first resource and reloading the first element with the first resource;
merging elements that are further gated by components that were unloaded, with the loading, reloading, and merging steps resulting in an equilibrium configuration;

solving the equilibrium configuration to determine the optimization of the non-linear expected value function, wherein the solving is performed by a computer; and
presenting the optimization of the non-linear expected value function.

22-30. **(Canceled)**

31. (Previously presented) The method of claim 1, wherein the presenting consists of storing, in a memory, the optimum level of resources as a function of the solved for maximums.

32. **(Canceled)**